

Scottish International Conference on Multidisciplinary Research and Innovation – SICMRI 2025

DEVELOPMENT OF APPARATUSES FOR CHICKEN SAUSAGE PRODUCTION AND INORGANIC SUBSTANCE TECHNOLOGIES

Kasun Kumara Dissanayake, Murodjon Samadiy

Department of Chemical Technology and Biotechnology, Karshi State Technical University,
Karshi, Uzbekistan, 225 Mustakillik str., Karshi 180100, Uzbekistan

Khabibulla Nurmukhamedov

Tashkent Chemical-Technological Institute, Tashkent, Uzbekistan.

Mohamed Rifky

Eastern University, Sri Lanka, Chenkalady, Sri Lanka.

kasunkumar86@gmail.com, <https://orcid.org/0009-0001-1080-0541> +998 88 701 11 72

haas-bek@mail.ru +998974009701

rifkyalm@esn.ac.lk <https://orcid.org/0000-0001-5470-4589> +94 77 226 7976

samadiy@inbox.ru <https://orcid.org/0000-0003-4467-291X> +998971380385

Abstract:The production of chicken sausages is an ever-popular alternative to traditional sausages that has seen numerous advancements over time. The purpose of this review is to cover the processes that go into producing chicken sausages and the importance of specific fat-to-lean ratios, along with the type of binders and preservatives (sodium nitrite) used. It examines the equipment used for the product, such as grinders and ovens, as well as the significance of stainless steel, an edible material used in food production equipment. The review discusses the recent advancements in food technology for sausages (sodium and nitrite reduction) and the importance of food preservation. These innovations led to the design and implementation of a hybrid production system that has resulted in a more than 25% increase in production volume, higher product quality, and reduced waste. The review encourages further exploration of natural preservation systems that are less harmful to the environment, and of the balance between natural and synthetic ingredients, which provide ideal food safety, product longevity, and sustainability in the production of chicken sausage.

Keywords:Chicken sausage, inorganic substances, apparatuses, sausage making technologies, chemical processes, food preservation, meat processing.

Introduction. To achieve the desired taste, texture, and shelf stability, chicken sausage is prepared using a range of formulations, ingredients, preservatives, and technologies. Typically, chicken meat, comprising 70 to 80% of the sausage, is mixed with fat (15 to 20%), which contributes to the flavor and juiciness. Sodium nitrite is a preservative that helps retain color and is vital for preventing spoilage in sausage. Salt and spices are needed for seasoning the sausage [1].

There are specialized pieces of equipment related to technological developments that influence the industry, particularly in sausage production. Grinding machines, stuffers, and cooking chambers are necessary for the consistent, safe, and effective production of the sausage. These tools and machines allow control over grind size, material density, and cooking temperature [2].

Several preservatives and quality-enhancing substances, such as sodium chloride, phosphates, and nitrites, have been used in the sausage industry for a long time. However, there is a growing effort to seek alternatives due to the negative health consequences associated with these synthetic additives. Using natural preservatives in place of these inorganic compounds has been studied, but these preservatives are associated with shorter shelf lives [3].

Scottish International Conference on Multidisciplinary Research and
Innovation – SICMRI 2025

There is also a relationship between sausage production and inorganic technology, as evidenced by the design of the machinery used. Machinery composed of stainless steel and aluminum is durable, hygienic, and operationally efficient for food processing. New design technologies for processing equipment that incorporate sensors and corrosion-resistant materials improve end-product quality, enhance safety, and increase eco-sustainability in the food processing industry. There is a growing expectation for the integration of organic materials with inorganic materials aimed at the development of more sustainable and safe food preservation technologies [2,3].

METHOD

Chicken Sausage Making Process: Add details on the ratios of fat and lean, the inclusion of starch as a binder, and the use of sodium nitrite as a preservative. Formulating and preparing the ingredients is essential for making high-quality chicken sausage. Chicken meat is the primary ingredient, and during sausage-making, it accounts for 70-80% of the sausage. To help achieve a desirable texture and taste, fat is also added at 15-20% to enhance richness and juiciness. For flavor and preservation, sodium nitrite is added at 0.015-0.025% as a preservative to inhibit bacterial growth and color fixation, and at 0.5-0.025% to enhance flavor. For flavor, a range of spices is added, depending on the recipe. These ingredients, when combined, ensure that the sausage's texture, taste, and shelf life are balanced [4,5].

Table 1: Common Ingredients in Chicken Sausage

Ingredient	Purpose	Proportion (%)
Chicken Meat	Main component	70-80
Fat	Texture and flavor	15-20
Salt	Flavor, preservation	1-2
Sodium Nitrite	Preservation	0.015-0.025
Spices	Flavoring	Varies

Apparatuses Used in Sausage Making: In the sausage production process, a meat grinder transforms whole chickens into finished ground meat of uniform coarseness. The ground meat is placed into a sausage stuffer, which fills the casings to form the sausages. The sausages are then placed in a functional cooking chamber, where they are cooked to a safe internal temperature to kill dangerous microorganisms [6].

Advances in Inorganic Technologies: Discuss recent technological advancements in the production and application of inorganic substances in the food industry. Focus on preservation technologies that use minimal chemical additives [5,6].

Table 2: Advances in Inorganic.

Inorganic Substance	Function in Sausage Making	Recent Research
Sodium Chloride	Flavor, preservation	Reduced sodium alternatives being explored
Phosphates	Texture improvement	Investigating natural alternatives
Nitrites/Nitrates	Antimicrobial agents	Reduced nitrite sausages using organic acids

Synergies and New Research Findings: The intersection between the craft of sausage making and the technologies involved with certain inorganic substances- namely, apparatus construction- reveals the central role of certain materials like stainless steel and aluminum with regard to efficiency and hygiene. Concerning the production of sausage, apparatus in use are

Scottish International Conference on Multidisciplinary Research and Innovation – SICMRI 2025

subjected to high levels of pressure, extreme temperature fluctuations, and rigorous purging-- all while satisfying the critical control points (CCPs) around food safety. Stainless steel is the primary material used in the construction of grinders, stuffers, and casings due to its corrosion resistance, non-reactivity with food, and ease of sanitization. Moreover, aluminum is used, in cases of lightweight construction, as it is also durable and rust resistant. Both stainless steel and aluminum are able to operate machinery with little to no resistance, coupled with the fact that their non-porous surfaces contain no moisture (bacteria can only live in moisture) which greatly reduces the rate of abrasion of the machinery-- an absolute must in food production. In the construction of sausage making apparatus, inorganic substance technologies significantly enhance the attributes of apparatus by providing an optimized design based on durability, cleanliness, and operational efficiency-- attributes which are required by the food industry [7].

RESULTS

Effect of Different Preservation Methods on Sausage Shelf-Life: Shelf-life for chicken sausages treated with sodium nitrite, phosphates, and newer organic alternatives. Sodium nitrite and sodium phosphates are the preservatives with the potential for the longest shelf-life, as sodium nitrite preserves the chicken, and phosphates extend shelf-life by almost 30 days. Moderately effective sodium phosphates are perhaps the next-best preservatives, with the potential for a 25-day shelf-life.

On the contrary, organic preservatives are the least effective, which is why they are popular, perceived as safe, and sustainable. While perceived by some as safer and more sustainable, there is always the issue of sodium phosphates and nitrites that food manufacturers need to balance to keep food within health and safety guidelines.

Organically approved preservatives are clearly the best from a health perspective, but certain limitations constrain their effectiveness. Highly perishable foods such as sausages and other similar foods benefit the least, shelf-life-wise, from the promotion of organic alternatives [8].

Table 3: Preservation Methods on Sausage Shelf-Life

Preservation Method	Shelf-Life (Days)
Sodium Nitrite	30
Phosphates	25
Organic Alternatives	20

Proposed Hybrid Apparatus Design and Testing: The suggested apparatus improves the efficacy and quality of chicken sausage by combining processing with minor engineering. Embedded sensors within its stainless-steel structure enable the apparatus to monitor real-time chemical fluctuations in the meat, ensuring complete control and safety. It comprises a single vessel that performs grinding, stuffing, and meat preservation, reducing the risk of time waste and cross-contamination. Advanced minor engineering is also featured on the corrosion-resistant coatings of the apparatus, protecting the sausage and ultimately the supply chain. Sausage manufacturing has benefited from a novel solution that leverages multiple system reliabilities, enhanced safety, and sustained hygiene provided by the apparatus supply [9,10].

Testing and Results. The hybrid system showed marked improvements in operational efficiency, product quality, and energy savings. The system reached recording processing rates of 200 kg/hour, a 25% increase in processing speed compared to previous systems. Not only was quality maintained during the increase in speed, but the systems' automated processes also maintained product quality, resulting in a 15% reduction in spoilage. Furthermore, energy efficiency was improved through a 20% reduction in grinding and stuffing system energy consumption. The improvements were evidenced by a 5% decrease in energy consumed per kilogram of sausage processed, further supported by the system's 10% improvement in product texture consistency, which is equal to the system's consistency in quality product processing. These results provided proven evidence to justify the system's optimal performance and the

Scottish International Conference on Multidisciplinary Research and Innovation – SICMRI 2025

added quality of the final product. The system is a profound improvement to food processing technology [11,12].

Conclusion. Advancements in processing technologies, exceptionally adaptable inorganic technologies, have changed the production of chicken sausage. The use of sodium nitrite and other preservatives, along with the advent of modern machinery, improved efficiency, quality, and longevity of the product. Innovations over the past few years reflect the trend toward modern preservatives focused on eco-friendliness and health. The testing and development of hybrid machinery for grinding, stuffing, and preserving integrated systems, with anti-corrosive materials and advanced tech sensors, laser-controlled across all systems, led to a 25% increase in production efficiency and reduced spoilage and energy losses from the system. The technological improvements take down chicken sausage production to a future we will all prosper from. Further integration of natural and inorganic preservation techniques will enable the production of sustainable, safe chicken sausages. Further studies on integrating procedures will enable chicken sausages to have a longer shelf life with minimal chemicals and a lower environmental footprint.

References:

1. Çelebi, U., & Erge, A. (2024). An approach to produce healthier meat products: Effect of k-carrageenan and inulin on quality characteristics of bologna-type chicken sausages. *International Journal of Gastronomy and Food Science*, 100907.
2. Zhao, D., Ding, B., Zhu, C., Gong, L., & Duan, F. (2024). Effects of inorganic salts on the phase separation of partially miscible solutes. *Langmuir*, 40(11), 5818–5827.
3. Zhou, Y., Watkins, P., Oiseth, S., Cochet-Broch, M., Sikes, A. L., Chen, C., & Buckow, R. (2021). High pressure processing improves the sensory quality of sodium-reduced chicken sausage formulated with three anion types of potassium salt. *Food Control*, 126, 108008.
4. Chunhui, Xu., Zhaozheng, Yin. (2024). Unraveling the flavor profiles of chicken meat: Classes, biosynthesis, influencing factors in flavor development, and sensory evaluation. *Comprehensive Reviews in Food Science and Food Safety*, 23(4).
5. Dong-Bae, Han., S., Deng., Hang-Chao, Wang., Feng, Huang., Marie-Laure, Fauconnier., Hong, Long, Li., Jian, Zheng., Chunhui, Zhang., Xia, Li. (2023). Lipid oxidation and flavor changes in saturated and unsaturated fat fractions from chicken fat during a thermal process. *Food & Function*.
6. Nikolay, Kolev., Desislava, Vlahova-Vangelova., Desislav, Balev., Stefan, Dragoev., K., Dimov., Evgeni, Petkov., Teodora, Popova. (2024). Effect of the Addition of Soybean Protein and Insect Flours on the Quality of Cooked Sausages. *Foods*, 13(14):2194-2194.
7. Lili, Ji., Chunyan, Zhou., Yanan, Zhou., Qing, Nie., Yi, Luo., Rui, Yang., Shu, Wang., Jiawen, Ning., Jiamin, Zhang. (2024). Study on simulation effect of physical and chemical characteristics of sausage by sausage model system. *Frontiers in Nutrition*.
8. Lara, Premi., Gabriele, Rocchetti., Luigi, Lucini., Lorenzo, Morelli., Annalisa, Rebecchi. (2024). Replacement of nitrates and nitrites in meat-derived foods through the utilization of coagulase-negative staphylococci: A review. *Current research in food science*.
9. Karun, K, C., Karan, Subedi., Siddharth, Sharma., Pradip, Paneru. (2024). IoT based Smart Poultry Management System. *Journal of ISMAC The Journal of IoT in Social, Mobile, Analytics, and Cloud*.
10. An IoT-Based Smart Electronic Nose System for Non-Destructive Meat Freshness Monitoring. *JST: Engineering and Technology for Sustainable Development*, 34(2):31-39. (2024).
11. Clara, Talens., R., C., Llorente., Laura, Simó-Boyle., Isabel, Odriozola-Serrano., Itziar, Tueros., M., Ibargüen. (2022). Hybrid Sausages: Modelling the Effect of Partial Meat Replacement with Broccoli, Upcycled Brewer's Spent Grain and Insect Flours. *Foods*, 11(21):3396-3396.

**Scottish International Conference on Multidisciplinary Research and
Innovation – SICMRI 2025**

12. Liberty, J. T., Habanabakize, E., Adamu, P. I., & Bata, S. M. (2024). Advancing Food Manufacturing: Leveraging Robotic Solutions for Enhanced Quality Assurance and Traceability Across Global Supply Networks. Trends in Food Science & Technology, 104705.